

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
1	IS&R	L1	2004	(382/181,186-189,313,314).CCLS.	US- PGPUB; USPAT	2006/09/21 13:43	
2	IS&R	L2	4585	(345/169,173,179).CCLS.	US- PGPUB; USPAT	2006/09/21 13:44	
3	BRS	L3	291	((handwrit\$5 or hand-writ\$5 or signature) near5 (only or single or one or sole or singular) near5 (enter\$4 or entry or entries ir input\$4 or writing)) same (activat\$4 or menu\$2 or control\$1 or button\$1)	US- PGPUB; USPAT	2006/09/21 13:53	
4	BRS	L4	44	((handwrit\$5 or hand-writ\$5 or signature) near2 (1 or only or single or one or sole or singular) near2 (enter\$4 or entry or entries ir input\$4 or writing)) same (activat\$4 or menu\$2 or control\$1 or button\$1)	US- PGPUB; USPAT	2006/09/21 13:54	
5	BRS	L5	14	4 same (recogn\$6 or identifi\$6 or (reference near2 (librar\$3 or database)))	US- PGPUB; USPAT	2006/09/21 13:54	
6	BRS	L7	4	2 and 5	US- PGPUB; USPAT	2006/09/21 13:54	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
7	BRS	L6	5	1 and 5	US- PGPUB; USPAT	2006/09/21 14:13	
8	BRS	L8	3	decuma and handwrit\$5	US- PGPUB; USPAT	2006/09/21 14:14	
9	BRS	L9	0	ezitap	US- PGPUB; USPAT	2006/09/21 14:15	
10	BRS	L10	2	alphabetic near3 handwrit\$5 near3 recogn\$6	US- PGPUB; USPAT	2006/09/21 14:21	
11	BRS	L11	1	"4918740".pn.	US- PGPUB; USPAT	2006/09/21 14:23	
12	BRS	L12	1	(single near1 input near3 area) and ericsson	US- PGPUB; USPAT	2006/09/21 14:23	
13	BRS	L13	266037 5	(single near1 input near3 handwrit\$5 (area or region))	US- PGPUB; USPAT	2006/09/21 14:24	
14	BRS	L14	0	(single near1 input near3 handwrit\$5 near5 (area or region))	US- PGPUB; USPAT	2006/09/21 14:24	
15	BRS	L15	18	(single near1 input) same handwrit\$5	US- PGPUB; USPAT	2006/09/21 14:31	
16	BRS	L16	2	(single near1 input near3 area) same writ\$5	US- PGPUB; USPAT	2006/09/21 14:34	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
17	IS&R	L17	292	(178/18.05).CCLS.	USPAT	2006/09/21 14:34	



All

Web

Netscape

single handwriting input

SPONSORED LINKS

PenOffice SoftwareUniversal Handwriting Recognition Technology for Your PC. www.PhatWare.com**Single in DC?**Meet quality Singles in DC Parties, Trips and Introductions www.DCSingles.org

Web results for 'single handwriting input activatable' 1-15 (of ~64)

Application - Patent Storm

Finite-state systems and methods allow multiple input streams to be parsed and integrated by a single finite-state device. These systems and methods not ...

<http://www.patentstorm.us/class/704/270-Application.html>**Calligraphic - Patent Storm**

A method and apparatus for backlighting a handwriting input area for a portable ... The invention takes advantage of the user-activatable font management ...

<http://www.patentstorm.us/class/345/472.3-Calligraphic.html>**Ink correction pad - Patent 6989822**

Handwriting recognition software, however, does not always produce machine-generated text that correctly corresponds to the original handwritten ink input, ...

<http://www.freepatentsonline.com/6989822.html>**Handwriting capture device with insertable form interface - Patent ...**

Terminal I/O 28 is an input/ output interface, typically an RS 232 interface, for message traffic to and from handwriting capture device 12. ...

<http://www.freepatentsonline.com/5223677.html>**PATENT US 5737539 | MAYAUD | Healthcare | Technology ...**

Similar problems apply to voice recognition as a significant data input medium.

Either or both handwriting and voice recognition may be valuable ...

<http://www.mayaud.com/PATENTS/PatentCGMUS05737539Fulltext.htm>**Gulf Coast Consortia | Directory**

We study the polarized movement of the cAMP-activatable Cl channel, the Cystic Fibrosis ... Handdrawn Sketch Recognition, Handwriting Recognition. ...

http://cohesion.rice.edu/centersandinst/gcc/GCC_Directory_Listing.cfm**EP394379 Wang european software patent - Document folder icon for ...**

input device. 4. A data processing system as claimed in Claim 3 wherein the main body area is user activatable to change the screen view from displaying the ...

<http://gauss.ffii.org/PatentView/EP394379>**EP377698 Wang european software patent - Document manipulation in ...**

portion of the tray in the user's handwriting. Similarly, ... annotation input means; the user-activatable entities include a ...

<http://gauss.ffii.org/PatentView/EP377698>**Computer graphics processing, operator interface processing, and ...**

20050110778 - Wireless **handwriting input** device using grafitis and bluetooth:
... The display screen is a mosaic pattern of **activatable** display segments and ...
<http://www.freshpatents.com/Computer-graphics-processing-operator-interface-processing-and-selective-visual-display-systems-dt200505ntc346.php>

Copyright

o **single switch input** controls; o sip and puff controls; ... Situations in which **handwriting** recognition is needed include reading ...
<http://cosmos.buffalo.edu/t2src/pubs/forums/vision/vision.pdf>

The Turing Test: The First Fifty Years

deficiencies in speech, written texts, **handwriting**, etc., and the failure of computers to achieve ... overlapping **activatable** representations of experience. ...
http://www.ulg.ac.be/cogsci/french/TICS_turing.pdf

Risk and Resource Management Embedded and Safety-Relevant Systems ...

activatable via the Internet or capable of forming ... expression and **handwriting**, into control signals. **Input** and Interaction Devices ...
http://www.first.fraunhofer.de/zwk_download/fhi-first-annual-report-2003-2004-new.pdf

Softwarepatente am Europäischen Patentamt

ep0297367, MOTOROLA INC, Digitized stored voice paging receiver having a **single input** user control. ep0394342, MOTOROLA INC, Paging receiver capable of ...
<http://swpat.fbi.org/patente/txt/ep/1339.de.html>

Annual Report 2001/2002

type of biometric **handwriting** recognition. SafeGuard ... **activatable** product development. The capitalisation of the costs ends if the product is available ...
[http://www.utimaco.com/C12570CB0047B0D2/vwContentByKey/W26KHLLB3030BELEN/\\$FILE/ar_2001_2002_en.pdf](http://www.utimaco.com/C12570CB0047B0D2/vwContentByKey/W26KHLLB3030BELEN/$FILE/ar_2001_2002_en.pdf)

DRUM: Home

Tyrosine-based "**activatable** pro-tag": enzyme-catalyzed protein capture and ...
Machine Printed Text and **Handwriting** Identification in Noisy Document Images ...
<https://drum.umd.edu/dspace/all.jsp>

« Previous 1 **2** 3 4 5 **Next** »

SPONSORED LINKS

Quality Singles Over 30

Meet like minded professionals Relationship minded - A safer way www.OverThirtySingles.com

Meet Singles Free

Browse Photo Profiles, Talk to Singles & Match by Compatibility! www.SinglesNet.com



All Web Netscape

single handwriting input

© 2003-2006 Netscape. A


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((single<in>ab) <and> ((handwrit* or writ*)<in>ab))<and> (recogn*<..."

☒ e-mailYour search matched **168** of **1415139** documents.A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

(((single<in>ab) <and> ((handwrit* or writ*)<in>ab))<and> (recogn*<in>ab)

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

[Select All](#) [Deselect All](#)View: [1-25](#) | [26-5](#)

- ☐ **1. Neural versus difference equation modeling for 2D pattern recognition pr**
Perez, C.A.; Gonzalez, G.; Salinas, C.;
[Systems, Man, and Cybernetics, 2000 IEEE International Conference on](#)
Volume 4, 8-11 Oct. 2000 Page(s):2851 - 2856 vol.4
Digital Object Identifier 10.1109/ICSMC.2000.884430
[AbstractPlus](#) | Full Text: [PDF](#)(511 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ **2. A connectionist recognizer for on-line cursive handwriting recognition**
Manke, S.; Bodenhausen, U.;
[Acoustics, Speech, and Signal Processing, 1994. ICASSP-94., 1994 IEEE Inte](#)
[Conference on](#)
Volume ii, 19-22 April 1994 Page(s):II/633 - II/636 vol.2
Digital Object Identifier 10.1109/ICASSP.1994.389576
[AbstractPlus](#) | Full Text: [PDF](#)(288 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ **3. Segmentation of single- or multiple-touching handwritten numeral string background and foreground analysis**
Yi-Kai Chen; Jhing-Fa Wang;
[Pattern Analysis and Machine Intelligence, IEEE Transactions on](#)
Volume 22, Issue 11, Nov. 2000 Page(s):1304 - 1317
Digital Object Identifier 10.1109/34.888715
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(496 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ **4. Offline recognition of unconstrained handwritten texts using HMMs and s language models**
Bunke, H.; Bengio, S.; Vinciarelli, A.;
[Pattern Analysis and Machine Intelligence, IEEE Transactions on](#)
Volume 26, Issue 6, June 2004 Page(s):709 - 720
Digital Object Identifier 10.1109/TPAMI.2004.14
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(760 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ **5. Polar-radii graphs: a geometric-invariant, shape-based approach to hand recognition**
Oche, J.S.; Cajote, R.D.; Guevara, R.C.L.;

[TENCON 2003. Conference on Convergent Technologies for Asia-Pacific Region](#)
 Volume 2, 15-17 Oct. 2003 Page(s):740 - 744 Vol.2
 Digital Object Identifier 10.1109/TENCON.2003.1273277

[AbstractPlus](#) | Full Text: [PDF](#)(396 KB) IEEE CNF
[Rights and Permissions](#)

☐ **6. Text line segmentation and word recognition in a system for general writing recognition**

Marti, U.-V.; Bunke, H.;
[Document Analysis and Recognition, 2001. Proceedings. Sixth International Conference on](#)
 10-13 Sept. 2001 Page(s):159 - 163
 Digital Object Identifier 10.1109/ICDAR.2001.953775

[AbstractPlus](#) | Full Text: [PDF](#)(352 KB) IEEE CNF
[Rights and Permissions](#)

☐ **7. Classification of handwritten vector symbols using elliptic Fourier descriptors**

Taxt, T.; Bjerde, K.W.;
[Pattern Recognition, 1994. Vol. 2 - Conference B: Computer Vision & Image Processing. Proceedings of the 12th IAPR International Conference on](#)
 Volume 2, 9-13 Oct. 1994 Page(s):123 - 128 vol.2
 Digital Object Identifier 10.1109/ICPR.1994.576888

[AbstractPlus](#) | Full Text: [PDF](#)(536 KB) IEEE CNF
[Rights and Permissions](#)

☐ **8. Simplified Alfu-Numerik FONetiks (Sanf)**

Sanford, R.; Gibson, J.;
[Software Engineering, IEEE Transactions on](#)
 Volume SE-7, Issue 2, March 1981 Page(s):241 - 248

[AbstractPlus](#) | Full Text: [PDF](#)(2944 KB) IEEE JNL
[Rights and Permissions](#)

☐ **9. Data driven image models through continuous joint alignment**

Learned-Miller, E.G.;
[Pattern Analysis and Machine Intelligence, IEEE Transactions on](#)
 Volume 28, Issue 2, Feb. 2006 Page(s):236 - 250
 Digital Object Identifier 10.1109/TPAMI.2006.34

[AbstractPlus](#) | Full Text: [PDF](#)(2488 KB) IEEE JNL
[Rights and Permissions](#)

☐ **10. Recognition of handwritten numerical characters for automatic letter sorting**

Genchi, H.; Mori, K.; Watanabe, S.; Katsuragi, S.;
[Proceedings of the IEEE](#)
 Volume 56, Issue 8, Aug. 1968 Page(s):1292 - 1301

[AbstractPlus](#) | Full Text: [PDF](#)(1598 KB) IEEE JNL
[Rights and Permissions](#)

☐ **11. The lattice theory of information**

Shannon, C.;
[Information Theory, IEEE Transactions on](#)
 Volume 1, Issue 1, Feb 1953 Page(s):105 - 107

[AbstractPlus](#) | Full Text: [PDF](#)(376 KB) IEEE JNL
[Rights and Permissions](#)

☐ **12. The effect of stripe domains on the displacement curve of an MR head**

Davidson, B.; Simmons, R.; Covault, M.;
[Magnetism, IEEE Transactions on](#)
 Volume 20, Issue 5, Sep 1984 Page(s):860 - 862

[AbstractPlus](#) | Full Text: [PDF](#)(328 KB) IEEE JNL

[Rights and Permissions](#)

- ☐ **13. A high-density magneto-optic memory**
Goldberg, N.;
[Magnetics, IEEE Transactions on](#)
Volume 3, Issue 4, Dec 1967 Page(s):605 - 611
[AbstractPlus](#) | Full Text: [PDF](#)(1080 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ **14. Simulation of a word recognition system on two parallel architectures**
Yoder, M.A.; Jamieson, L.H.;
[Computers, IEEE Transactions on](#)
Volume 38, Issue 9, Sept. 1989 Page(s):1269 - 1284
Digital Object Identifier 10.1109/12.29466
[AbstractPlus](#) | Full Text: [PDF](#)(1220 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ **15. A note on nondeterminism in small, fast parallel computers**
Parberry, I.;
[Computers, IEEE Transactions on](#)
Volume 38, Issue 5, May 1989 Page(s):766 - 767
Digital Object Identifier 10.1109/12.24282
[AbstractPlus](#) | Full Text: [PDF](#)(260 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ **16. Handwritten digit recognition by neural networks with single-layer training**
Knerr, S.; Personnaz, L.; Dreyfus, G.;
[Neural Networks, IEEE Transactions on](#)
Volume 3, Issue 6, Nov. 1992 Page(s):962 - 968
Digital Object Identifier 10.1109/72.165597
[AbstractPlus](#) | Full Text: [PDF](#)(672 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ **17. Reading handwritten digits: a ZIP code recognition system**
Matan, O.; Baird, H.S.; Bromley, J.; Burges, C.J.C.; Denker, J.S.; Jackel, L.D.;
Pednault, E.P.D.; Satterfield, W.D.; Stenard, C.E.; Thompson, T.J.;
[Computer](#)
Volume 25, Issue 7, July 1992 Page(s):59 - 63
Digital Object Identifier 10.1109/2.144441
[AbstractPlus](#) | Full Text: [PDF](#)(472 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ **18. Off-line handwritten word recognition using a hidden Markov model type network**
Mou-Yen Chen; Amlan Kundu; Jian Zhou;
[Pattern Analysis and Machine Intelligence, IEEE Transactions on](#)
Volume 16, Issue 5, May 1994 Page(s):481 - 496
Digital Object Identifier 10.1109/34.291449
[AbstractPlus](#) | Full Text: [PDF](#)(1492 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ **19. Shape modeling with front propagation: a level set approach**
Malladi, R.; Sethian, J.A.; Vemuri, B.C.;
[Pattern Analysis and Machine Intelligence, IEEE Transactions on](#)
Volume 17, Issue 2, Feb. 1995 Page(s):158 - 175
Digital Object Identifier 10.1109/34.368173
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(1960 KB) IEEE JNL
[Rights and Permissions](#)

- 20. A method of combining multiple experts for the recognition of unconstrained numerals**
Huang, Y.S.; Suen, C.Y.;
[Pattern Analysis and Machine Intelligence, IEEE Transactions on](#)
Volume 17, Issue 1, Jan. 1995 Page(s):90 - 94
Digital Object Identifier 10.1109/34.368145
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(412 KB) [IEEE JNL](#)
[Rights and Permissions](#)
- 21. Invariant matching and identification of curves using B-splines curve representation**
Cohen, F.S.; Zhaohui Huang; Zhengwei Yang;
[Image Processing, IEEE Transactions on](#)
Volume 4, Issue 1, Jan. 1995 Page(s):1 - 10
Digital Object Identifier 10.1109/83.350818
[AbstractPlus](#) | Full Text: [PDF](#)(840 KB) [IEEE JNL](#)
[Rights and Permissions](#)
- 22. Sensitivity analysis of single hidden-layer neural networks with thresholding**
Sang-Hoon Oh; Youngjik Lee;
[Neural Networks, IEEE Transactions on](#)
Volume 6, Issue 4, July 1995 Page(s):1005 - 1007
Digital Object Identifier 10.1109/72.392264
[AbstractPlus](#) | Full Text: [PDF](#)(252 KB) [IEEE JNL](#)
[Rights and Permissions](#)
- 23. Correctness criteria for multilevel secure transactions**
Smith, K.P.; Blaustein, B.T.; Jajodia, S.; Notargiacomo, L.;
[Knowledge and Data Engineering, IEEE Transactions on](#)
Volume 8, Issue 1, Feb. 1996 Page(s):32 - 45
Digital Object Identifier 10.1109/69.485627
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(1492 KB) [IEEE JNL](#)
[Rights and Permissions](#)
- 24. A lexicon driven approach to handwritten word recognition for real-time processing**
Gyeonghwan Kim; Govindaraju, V.;
[Pattern Analysis and Machine Intelligence, IEEE Transactions on](#)
Volume 19, Issue 4, April 1997 Page(s):366 - 379
Digital Object Identifier 10.1109/34.588017
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(512 KB) [IEEE JNL](#)
[Rights and Permissions](#)
- 25. Probe-based automatic target recognition in infrared imagery**
Der, S.Z.; Chellappa, R.;
[Image Processing, IEEE Transactions on](#)
Volume 6, Issue 1, Jan. 1997 Page(s):92 - 102
Digital Object Identifier 10.1109/83.552099
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(304 KB) [IEEE JNL](#)
[Rights and Permissions](#)

View: 1-25 | 26-5

[Help](#) [Contact Us](#) [Privacy & :](#)

© Copyright 2008 IEEE --

Indexed by
 **Inspection**

[Sign in](#)[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)[Advanced Search](#)
[Preferences](#)**Web**Results 1 - 10 of about **543,000** for **single handwriting input area** . (0.43 seconds)

Using Tablet PC: Handwriting Recognition 101

Good **handwriting** recognition is probably the **single** most important factor ... so make the Start Input Panel gesture slightly below the **area** where you want ...

www.microsoft.com/windowsxp/using/tablet/usingtabletpc/getstarted/vanwest_03may28hanrec.mspx - 29k -

[Cached](#) - [Similar pages](#)

"Lonestar:" Next Version of Windows XP Tablet PC Edition

With a **single** tap, the new TIP provides a writing **area** that recognizes your **handwriting** one character at a time, as shown in Figure 4. ...

www.microsoft.com/windowsxp/using/tablet/usingtabletpc/expert/vanwest_tabletpc.mspx - 23k -

[Cached](#) - [Similar pages](#)

Sponsored Links

PenOffice Software

Universal **Handwriting** Recognition Technology for Your PC.
www.PhatWare.com

InPad Handwriting Input

Windows Mobile 2003 and SE Supports 100 World Languages
www.inpad.net

Product Information

Decuma Alphabetic **handwriting** recognition for Sony Ericsson P800/P900/P910 ... A **single input area** is used for writing, presenting recognized letters and ...

microsoft.handango.com/PlatformProductDetail.jsp?siteId=75§ionId=0&catalog=0&productType=... - 31k - [Cached](#) - [Similar pages](#)

Handwriting input device and method using a single character set ...

A method for recognizing **input** characters handwritten onto an **input area** of an ... Title: **Handwriting input device and method using a single character set ...**

www.freepatentsonline.com/6724936.html - 59k - [Cached](#) - [Similar pages](#)

Buy handhelds - Best handhelds - Compare handheld prices - CNET ...

Where Palm offers just a **single handwriting** recognition system, ... And as noted, Windows Mobile devices have a virtual **input area** that appears onscreen ...

shopper.cnet.com/Handhelds/2001-3127_9-0.html - 54k - Sep 19, 2006 - [Cached](#) - [Similar pages](#)

My-Symbian: Symbian: Symbian: Decuma Alphabetic handwriting ...

A **single input area** is used for writing, presenting recognized letters and ... I got the **handwriting** recognition software and, after using it for a while I ...

shop.my-symbian.com/PlatformProductDetail.jsp?siteId=695&productId=159629 - 70k - [Cached](#) - [Similar pages](#)

Chinese Handwriting Recognition System - TwinBridge Chinese Pen

Chinese **Handwriting** Recognition System for Win 98/Me/2000/XP ... Full screen mode allows **single** character or multi-character **input** ...

www.twinbridge.com/Products/Chinese%20Pen/new%20chinese%20pen%20USB.htm - 30k - [Cached](#) - [Similar pages](#)

Natural Handwriting Recognition

This technology is known as Natural **Handwriting** Recognition (NHR). ... The output of this task is either a **single** class or a set of ordered pairs consisting ...

www.infotivty.com/hwr.htm - 11k - [Cached](#) - [Similar pages](#)

(Protein) Customizing the Dynamic Input Area | Input Services

3 Customizing the Dynamic **Input Area**. How Pinlets Work. Building Pinlets and **Handwriting** Recognition Engines. Starting Up and Shutting Down a Pinlet ...

www.palmos.com/dev/support/docs/protein_books/Input_Services/In_PinletConcept.html - 55k - [Cached](#) - [Similar pages](#)

[Buying Guide](#) > [Handhelds](#) > [CNET](#) > [Technology](#) > [The New York Times](#)

Where Palm offers just a **single handwriting** recognition system, ... And as noted, Windows Mobile 2003 devices have a virtual **input area** that appears ...

cnet.nytimes.com/html/ex/nytimes/bg/9580/2.html - 34k - [Cached](#) - [Similar pages](#)

Google

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Sign in](#)[Web](#) [Images](#) [Video](#) ^{New!} [News](#) [Maps](#) [more »](#)[Advanced Search](#)
[Preferences](#)**Web**Results 11 - 20 of about **543,000** for **single handwriting input area** . (0.18 seconds)**Method and apparatus for backlighting a handwriting input area for ...**

A method and apparatus for backlighting a **handwriting input area** for a portable ... a **single** layer which performs both functions of **input** and backlighting. ...

www.freepatentsonline.com/6462941.html - 48k - [Cached](#) - [Similar pages](#)
[[More results from www.freepatentsonline.com](#)]

ABSTRACTS, USENIX Summer Technical Conference, 1993

This capability opens up the potential for new modes of user interaction, one of which is text **input** through **handwriting** instead of keyboard entry.

...
www.usenix.org/publications/library/proceedings/cinci93/kempf.html - [Similar pages](#)

How does Graffiti® 2 handwriting recognition software differs from ...

Users will use the Graffiti 2 **input area**/writing panel on their handheld when ... Jot additionally offers **single** stroke versions of the same character. ...

[kb.palmone.com/SRVS/CGI-BIN/WEB CGI.EXE?](http://kb.palmone.com/SRVS/CGI-BIN/WEB CGI.EXE?New,Kb=PalmSupportKB,ts=Palm_External2001,case=obj(23094))
[New,Kb=PalmSupportKB,ts=Palm_External2001,case=obj\(23094\)](#) - 49k - [Cached](#) - [Similar pages](#)

Pen Computing Magazine: Acer TM100 with XP Tablet PC Edition

... Panel that toggles between an on-screen keyboard and a **handwriting input area**, ... or so all over the screen and it recognized every **single** one of them. ...

www.pencomputing.com/frames/textblock_acer_tpc.html - 18k - [Cached](#) - [Similar pages](#)

Scott Teresi - A Study of Handwriting Recognition

Handwriting recognition using a neural network character classifier. ... Performance of **single**-algorithm systems drops precipitously as the quality of **input** ...

www.teresi.us/html/writing/handwriting.html - 38k - [Cached](#) - [Similar pages](#)

PalmOS.com: OS 5 Overview

Bug Fixes Graffiti 2 **Handwriting** Other New Features and Modifications Collapsible **Input Area** API. Introduction. Palm OS 5.2 is mainly a bug fix release. ...

www.palmos.com/dev/support/docs/palmos50/os52overview.html - 30k - [Cached](#) - [Similar pages](#)

[PDF] Integrating Pen Operations for Composition by Example

File Format: PDF/Adobe Acrobat - [View as HTML](#)

to enter a **single** word it is sometimes faster to search for the word in a dictionary and select from candidates ... as a **handwriting** recognition area. ...

pitecan.com/papers/UIST98/UIST98.pdf - [Similar pages](#)

MathML Conference 2002: Presentations

This paper proposes a method for mathematical **handwriting** recognition suitable for ... (a) **Input area** and panels for recognition result and candidates. ...

www.mathmlconference.org/2002/presentations/wan/ - 24k - [Cached](#) - [Similar pages](#)

Sponsored Links**PenOffice Software**

Universal **Handwriting** Recognition Technology for Your PC.
www.PhatWare.com

InPad Handwriting Input

Windows Mobile 2003 and SE Supports 100 World Languages
www.inpad.net

Calligrapher handwriting recognition for Pocket PC

PhatWare's CalliGrapher may be the **single** most important line of ... Multilingual support:
CalliGrapher supports **handwriting** recognition in English ...
www.phatware.com/calligrapher/ - 45k - [Cached](#) - [Similar pages](#)

Citations: Backpropagation applied to handwritten zip code ...

The TDNN has been successfully applied to speech and **handwriting** ... we have
investigated classification of **single** handwritten digits (one against all) for ...
citeseer.ist.psu.edu/context/15649/0 - 39k - [Cached](#) - [Similar pages](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Sign in](#)[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)[Advanced Search](#)
[Preferences](#)**Web**Results 21 - 30 of about **543,000** for **single handwriting input area** . (0.16 seconds)

Zi Opens Up Chinese **Handwriting** Recognition Market with Download ...

The Decuma SC **handwriting** recognition technology implements the following Chinese ... a broad range of entered characters, all within a **single input screen**. ...

www.findarticles.com/p/articles/mi_m0EIN/is_2005_June_10/ai_n13807150 - 29k -

[Cached](#) - [Similar pages](#)

Download Decuma Alphabetic 3.01 Free Trial - Fast, natural, and ...

A **single input area** is used for writing and presenting recognized letters ... Fast, natural, and accurate **handwriting** recognition: The closest experience to ...

handheld.softpedia.com/get/Word-Processing-Text-Tools/Drawing/Decuma-Alphabetic-11034.shtml - 56k -

[Cached](#) - [Similar pages](#)

[PDF] Effects of Training Set Expansion in **Handwriting** Recognition Using ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

In the **area** of **handwriting** recognition, some experiments ... better recognition rates than using only a **single** Gaussian. Hence we considered the number of ...

www.iam.unibe.ch/~varga/publications/figs2003.pdf - [Similar pages](#)

Decuma OnSpot **Handwriting** Recognition for Palm OS 5

Decuma OnSpot **Handwriting** Recognition for Palm OS 5 Decuma OnSpot is a new ... A **single input area** is used for writing and presenting recognized letters and ...

www.geekzone.co.nz/content.asp?contentid=2042 - [Similar pages](#)

Decuma OnSpot **Handwriting** Recognition for Windows Mobile Pocket PC

Decuma OnSpot **Handwriting** Recognition for Windows Mobile Pocket PC ... A **single input area** is used for writing and presenting recognized letters and for ...

www.geekzone.co.nz/content.asp?contentid=2043 - [Similar pages](#)

Existing Text Input Methods

Figure 3.10 shows the **input area** of the Cirrin text **input** method [Mankoff and Abowd1998].

... These well investigated ones include **handwriting** recognition, ...

www.cs.uta.fi/~poika/g/node6.html - 65k - [Cached](#) - [Similar pages](#)

[PDF] On-line Overlaid-**Handwriting** Recognition Based on Substroke HMMs

File Format: PDF/Adobe Acrobat - [View as HTML](#)

pauses on a **single-box** writing **area**, images of the **input** characters would be overlaid with ... cal point of view, the overlaid-**handwriting** recognition is a ...

www.cstr.ed.ac.uk/downloads/publications/2003/Shimodaira2003ICDAR.pdf - [Similar pages](#)

Zi Corporation eProducts

Decuma Alphabetic is a powerful **handwriting** recognition software package for ... A **single input area** is used for writing, presenting recognized letters and ...

www.zicorp.com/eProducts/Decuma/?page=decumaAlphabetic - 29k -

[Cached](#) - [Similar pages](#)

Sponsored Links

PenOffice Software

Universal **Handwriting** Recognition Technology for Your PC.

www.PhatWare.com

InPad **Handwriting** Input

Windows Mobile 2003 and SE Supports 100 World Languages

www.inpad.net

(PDF) Programming Education on an Electronic Whiteboard Using Pen Interfaces

File Format: PDF/Adobe Acrobat

board with a **single** electronic marker without needing other markers, keyboard, mouse, etc.

... A user can write a program in the **handwriting input area**. ...

www.tuat.ac.jp/~nakagawa/publication/2001/pdf/ohara0108a-e.pdf - [Similar pages](#)

The Natural Log: A System Overview

The white **area** is for pen **input**, and output is provided below in three forms, ... for each symbol class based on examples of a **single** user's **handwriting**. ...

www.ai.mit.edu/projects/natural-log/overview - 8k - [Cached](#) - [Similar pages](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

Printed by EAST

UserID: DMariam
Computer: WS07216
Date: 9/21/06
Time: 2:35 PM